

ITEM NUMBER: AGCDM250 DYMATION							
NO.	Parts Name		Q'TY	NO.	Parts Name		Q'TY
1A.)	SPINDLE	1 1/4-7UNC	1	28.)	CLUTCH PRESSURE DISC	Ø16 x Ø29 x 1	1
1B.)	SPINDLE	1 1/4"-3方牙	1	29.)	CLUTCH NUT	M12 x P1.5 x 8mm	1
2.)	PARALLEL KEY	5 x 5 x 15	1	30.)	GEAR SELECTOR SLIDER	Ø5 x 150L	1
3.)	WATER SEAL	Ø52 x Ø40 x 8	3	31.)	GEAR SELECTOR BLOCK		1
4.)	SCREW	M4 x 40	3	32.)	SELECTOR DISC SET		1
5.)	SEAL HOLDER		1	34.)	SELECTOR COLLAR PIN		1
6.)	INSIDE CIRCLIP	R-52	1	35.)	GEAR PLATE		1
7.)	BEARING	6205-LLU	2	36.)	BEARING	6202-2NSE	1
8.)	OUTSIDE CIRCLIP	S-25	1	37.)	ARMATURE	M1.25 x 8T	1
9.)	SCREW	M5 x 110	4	38.)	STATOR SCREW	M5 x 65	2
10.)	GEAR CASE		1	39.)	FAN BAFFLE		1
11.)	O-RING	Ø18 x Ø24 x 3	1	40.)	STATOR		1
12.)	GEAR SELECTOR		1	41.)	MOTOR HOUSING		1
13.)	SCREW		1	42.)	OVERLOAD UNIT		1
14.)	SPINDLE GEAR	32T	1	43.)	SCREW	M4 x 20	2
15.)	OUTSIDE CIRCLIP	S-17	1	44.)	BULL'S EYE LEVEL		1
16.)	BEARING	HK1412	3	45.)	NUT	M4 x 8	2
17.)	MAINSHAFT PINION	10T	1	46.)	BRUSH HOLDER		2
18.)	LOW SPEED GEAR	H:32T	1	47.)	CARBON BRUSH	7 x 17 x 17	2
18.)	LOW SPEED GEAR	L:37T	1	48.)	SCREW	M4 x 12	4
19.)	SNAP RING	Ø1.5 x Ø16 x Ø1	1	49.)	SCREW	M4 x 10	2
20.)	MID SPEED SLIDING GEAR	H:28T	1	50.)	MOUNTING PLATE		1
20.)	MID SPEED SLIDING GEAR	L:32T	1	51.)	BRUSH SPRING		2
21.)	HIGH SPEED GEAR	H:26T	1	52.)	TAIL COVER		1
21.)	HIGH SPEED GEAR	L:29T	1	53.)	SCREW	M5 x 45	4
22.)	OUTSIDE CIRCLIP	S-14	2	54.)	CABLE GLAND	NB1925	1
23.)	BEARING	6200-2R	1	55.)	CABLE PROTECTOR	NGN-22B 6cm	1
24.)	COUNTERSHAFT PINION	H:20T x 18T x 14	1	56.)	WATER FEED CONNECTOR KIT		1
24.)	COUNTERSHAFT PINION	L:17T x 14T x 9T	1	57.)	WATER COUPLING	1/2"	1
25.)	CLUTCH STEEL DISC	Ø31.5 x Ø16.2 x	2	58.)	SCREW	M4 x 8	1
26.)	CLUTCH BRASS DISC	Ø31.5 x Ø16.2 x	2	59.)	WIRE LEAD	20AWG35cm + 4R x	1
27.)	INPUT/CLUTCH GEAR	33T	1	60.)	SPLICE CONNECTOR	C-4	1
NO.	Parts Name		Q'TY	92.)	BASE		1
61.)	MOTOR ON SWITCH		1	93.)	BOLT	M12 x P1.75 x 100L	1
62.)	MOTOR OFF SWITCH		1	94.)	LOCK BOLT		1

63.)	SCREW	M4 x 60	4	95.)	FLAT WASHER	Ø1/2" x Ø23 x 2	8
64.)	WIRE LEAD	250	1	96.)	NUT-NYLOCK	M12 x P1.75	10
65.)	WIRE LEAD	187	1	97.)	SCREW	M6 x 20	1
66.)	SCREW	M4 x 12	2	98.)	CENTER INDICATOR		1
67.)	CORD CLAMP		1	99.)	SPACER	Ø6.1 x Ø10 x 8	1
68.)	SWITCH PLATE		1	100.)	BEARING	6201-2RS	8
69.)	SCREW	M4 x 8	2	101.)	ROLLER		4
70.)	RELAY	735-2C-C1	1	102.)	ECCENTRIC SHAFT		2
71.)	SWITCH BOX		1	103.)	AXLE SHAFT		2
72-1.)	BUBBLE LEVEL		2	104.)	STAR WASHER	M12	4
72-2.)	DOME NUT	M4	2	105.)	BUBBLE LEVEL		1
72-3.)	SCREW	M4 x 45	2	106.)	BULL'S EYE LEVEL		1
73.)	CORD ARMOR		1	107.)	REVERTEX PLACE		1
74.)	PRCD INTERRUPTER PROTECTION 220V		1	108.)	BEVEL KNOB	M8 x 30	1
75.)	POWER SUPPLY CABLE	1.5 x 3C x 3.5M	1	109.)	EXTERNAL CIRCLIP	S-15	2
76.)	SCREW	M5 x 10	4	110.)	BEARING	6002-LLU	2
77.)	COLUMN CAP PLATE		1	111.)	CRANK PINION		1
78.)	COLUMN		1	112.)	CRADLE		1
79.)	MITER SCALE		1	113.)	CRADLE PLATE	20 x 115 x 3	1
80.)	LOCK PLATE	30 x 39.5 x 10 x 1	1	114.)	CRANK BOSS		1
81.)	BUTTRESS LOCK		1	115.)	CRANK GRIP		2
82.)	FLAT WASHER	Ø5/16" x Ø17 x 1	1	116.)	CRANK HANDLE		1
83.)	ANGLE LOCK CLAMP		1	117.)	MOTOR CLAMP BOLT	M12 x P1.75	1
84.)	NUT-NYLOCK	M8	3	118.)	MOTOR MOUNTING PLATE		1
85.)	BUTRESS BAR		2	119.)	SPRING WASHER	M8	4
86.)	HANDLE		1	120.)	SOCKET CAP BOLT	M8 x 20	4
87.)	SOCKET CAP BOLT	M8 x 85	1	121.)	WRENCH	M32	1
88.)	BOLT	M12 x P1.75 x 75	4	122.)	OPEN-END WRENCH	M17 x M19	1
89.)	NUT	M12 x P1.75 x 19	4	125.)	SPRING	φ0.5 x φ4 x φ5 x 5L	1
91.)	SOCKET CAP BOLT	M8 x 25	2	126.)	STEEL BALL	φ5	1
127.)	NUT-NYLOCK	M10 x P1.25	2				
128.)	WHEEL		2				
129.)	AXLE		2				
130.)	L HEX KEY	M6	1				
131.)	WRENCH	M13	1				
132.)	O-RING	φ3 x 1.5	1				

133.)	ZIP TIE	2.4 x 80mm	2
134.)	SWITCH BOOT		2
135.)	BEARING	6200ZZ	2
136.)	PIN	Ø8x15-	2
A1.)	JACK SCREW (OPTIONAL)		1
A2.)	ANCHOR	1/2"	2

Power: 2200W

Voltage: 230V/50Hz, 110V/60Hz

No Load Speeds: RPM 650/1000/1250

Full Load Speeds: 450 / 650 / 850 RPM

Max Drill Diameter Concrete on Rig: 250mm

Rig Mounted or Hand Held : Rig Mounted Only

Spindle fitting: 1 1/4" UNC

Rig Model: VAGDMRIG

Net Weight: 25.3 KG

Collar Diameter: N/A

Overload Protection: Yes

Clutch: Mechanical

Plug: 10 A

RCD: Yes

Water Swivel: Yes

Bubble Levels: On Machine & Rig

