

CELLULAR WELLNESS THROUGH  
ADVANCED WATER TECHNOLOGY

# The CellaVera™ White Paper

*Evidence-Based Validation of Aquveris's Cellular Wellness Platform*

Published: December 2025

Prepared By: Aquveris Product Development & Research

Classification: Professional Technical Documentation

## EXECUTIVE SUMMARY

CellaVera™ represents a significant advancement in point-of-use water treatment technology, combining proven contaminant removal with evidence-based wellness enhancement through molecular hydrogen and essential mineral addition. This white paper synthesizes peer-reviewed scientific research, comprehensive water quality testing data, and technological specifications to establish CellaVera's position as a credible authority in the cellular wellness water category.

### The analysis demonstrates:

1. **Contaminant Removal Excellence:** Independent laboratory testing confirms removal of PFAS, uranium, arsenic, vinyl chloride, and other critical drinking water contaminants
2. **Molecular Hydrogen Benefits:** 81+ clinical trials support oxidative stress reduction, inflammation management, and athletic performance enhancement
3. **Essential Mineral Enhancement:** Bioavailable calcium and magnesium addition supports cardiovascular health, bone strength, and hydration
4. **Alkaline Water Support:** Research confirms pH optimization for cellular function and acid neutralization
5. **Integration of Advanced Media:** VeroPure™ and VitaCell™ work synergistically for comprehensive water treatment

## SECTION 1: THE WATER QUALITY CRISIS

### Current Drinking Water Challenges

The United States faces an unprecedented drinking water contamination challenge. The EPA's National Primary Drinking Water Regulations identify 90+ contaminants of concern, with emerging threats like PFAS receiving urgent regulatory attention.

### PFAS Contamination

Per- and Polyfluoroalkyl Substances (PFAS) have been detected in the drinking water supplies of millions of Americans. These "forever chemicals" persist indefinitely in the environment and human body, accumulating in tissues over time.

#### Key PFAS Risks:

- Immunosuppression and vaccine efficacy reduction
- Thyroid disease
- Kidney and testicular cancer
- Liver damage
- Developmental effects in children

### Heavy Metal Contamination

Natural geological formations and industrial activity introduce uranium, arsenic, radon, and other heavy metals into drinking water. The 2024 water quality testing conducted in Newtown, Connecticut documented:

- **Uranium:** 92.7 µg/L (EPA limit: 30 µg/L) — 209% above safe levels
- **Arsenic:** 15.5 µg/L (EPA limit: 10 µg/L) — 155% above safe levels
- **Radon-222:** 19,503 pCi/L (Advisory: 5,000 pCi/L) — 390% above advisory levels

### Emerging Chemical Contaminants

The East Palestine, Ohio train derailment (February 2023) highlighted vinyl chloride and other volatile organic compounds as ongoing public health threats. Independent testing is critical because regulatory responses often lag behind contamination events.

## SECTION 2: AQUVERIS CONTAMINANT REMOVAL TECHNOLOGY

### Real-World Testing Results

Aquaveris systems have been validated through independent laboratory testing using EPA-approved methodologies.

#### 2.1 PFAS Removal Performance

SimpleLab testing (EPA LAB ID: CA01652, March 2024) compared untreated water samples with treated output:

##### Hose Bib (Untreated) - R8MN5G:

- Perfluorooctanesulfonic acid (PFOA): 0.671 µg/L (Health Guidance Level exceeded)
- Perfluorobutanesulfonic acid (PFBS): 0.490 µg/L (Health Guidance Level exceeded)
- Perfluorodecanoic acid (PFDA): 0.054 µg/L (Health Guidance Level exceeded)
- Additional detections in 7 of 15 analyzed PFAS compounds

##### Kitchen Sink (After Aquaveris Treatment) - R8MN6E:

- **14 of 15 PFAS compounds: NOT DETECTED**
- Perfluorobutanesulfonic acid: 0.00034 µg/L (below Health Guidance Level)
- All other compounds: below detection limits or not detected

**Treatment Efficacy: >99% PFAS Reduction**

#### 2.2 Uranium and Arsenic Removal

Aquatek Labs testing (February-March 2024) documented dramatic contaminant reduction:

Contaminant	Untreated	EPA Limit	Status	Treated	Reduction
Uranium	92.7 ppm	30 ppm	EXCEEDS	3.45 ppm	96.3%
Arsenic	15.5 ppm	10 ppm	EXCEEDS	1.72 ppm	88.9%
Radon-222	19,503 pCi/L	5,000	EXCEEDS	ND	100%

Post-treatment water meets EPA potability standards for all analyzed parameters.

#### 2.3 Vinyl Chloride Removal

Summit Environmental Technologies testing (May 2023) on East Palestine vinyl chloride contamination:

- **Treated Sample: Vinyl chloride NOT DETECTED (<0.5 µg/L detection limit)**
- QC Standards: All quality control measures passed; recovery rates 85-90%

**Conclusion: Aquaveris™ technology removes harmful contaminants while maintaining beneficial minerals—supporting both safety and wellness objectives.**

## SECTION 3: MOLECULAR HYDROGEN TECHNOLOGY

### The Science of H<sub>2</sub> Wellness

Molecular hydrogen (H<sub>2</sub>) has emerged as a significant therapeutic agent supported by 81+ clinical trials analyzing its effects across major disease categories.

#### 3.1 Oxidative Stress Reduction

**Mechanism:** Hydrogen acts as a selective antioxidant, targeting only the most harmful reactive oxygen species (hydroxyl radicals and peroxynitrite) while preserving beneficial ROS signaling molecules.

##### Clinical Evidence:

**1. Metabolic Syndrome Study (2020):** 60 participants consuming high-concentration hydrogen-rich water showed:

- 23% reduction in total cholesterol
- 27% reduction in glucose levels
- Significant improvement in inflammatory markers (IL-1, IL-2)
- 18% increase in superoxide dismutase (SOD) antioxidant capacity

**2. Aging Biomarker Study (2021):** Adults aged 70+ drinking 0.5L daily hydrogen water for 6 months showed 4% average increase in telomere length, improved sleep quality, and enhanced cellular resilience markers.

**3. Comprehensive Clinical Review (2023):** Meta-analysis of 81 trials confirmed hydrogen therapy safety and efficacy across cardiovascular disease, metabolic disorders, respiratory conditions, and neurological health.

#### 3.2 Athletic Performance and Recovery

**Mechanism:** Hydrogen reduces post-exercise lactate accumulation, decreases inflammation markers, and accelerates muscle ATP regeneration.

**1. Football Player Study:** Elite athletes demonstrated reduced blood lactate, decreased inflammatory cytokines (IL-1, TNF- $\alpha$ ), improved repeated sprint performance, and faster recovery (48-72 hours post-exercise).

**2. Cyclist Endurance Study:** Trained cyclists showed increased peak power output, reduced fatigue index, and improved aerobic capacity.

**3. Mood and Anxiety (2018):** Hydrogen water improved mood scores, reduced anxiety measures, and improved autonomic nerve function.

#### 3.3 Inflammation Management

**Clinical Pathway:** Hydrogen modulates nuclear factor-kappa B (NF- $\kappa$ B) signaling, reducing pro-inflammatory cytokine production.

**Key Finding: Even acute hydrogen supplementation (single dose) demonstrates measurable improvements in inflammatory biomarkers within 2 weeks.**

## SECTION 4: ALKALINE WATER AND MINERAL ENHANCEMENT

### 4.1 pH Optimization Benefits

**Scientific Rationale:** Cellular metabolism operates optimally at slightly alkaline pH. Alkaline water helps maintain acid-base homeostasis and reduces systemic inflammation.

**1. Postmenopausal Women Study (2022):** Regular alkaline water consumption associated with lower fasting glucose, reduced blood pressure, longer sleep duration (40+ minutes), and stronger handgrip strength.

**2. Reflux Disease Study (2012):** Alkaline water with pH 8.8 permanently inactivated pepsin, providing therapeutic benefits for reflux patients.

**3. Longevity Study (2016):** Three-year mouse survival study showed alkaline water consumption increased lifespan without pathological effects.

### 4.2 Essential Minerals: Calcium and Magnesium

**Bioavailability:** Minerals dissolved in water are highly bioavailable compared to solid supplements, with immediate absorption in the gastrointestinal tract.

Mineral	Concentration	Health Benefit
Calcium	53-56 mg/L	Bone strength, muscle function, cardiac health
Magnesium	18-26 mg/L	Energy production, stress response, sleep quality
Potassium	5-6 mg/L	Blood pressure regulation, cellular hydration
Sodium	115-129 mg/L	Electrolyte balance, nerve transmission

#### Research Support:

- High-calcium mineral water reduces osteoporosis risk in postmenopausal women
- Magnesium-rich water (50 mg/L+) associated with 16% reduction in coronary heart disease mortality
- Combined mineral water supplementation improves cardiovascular and metabolic markers

## SECTION 5: ADVANCED FILTRATION MEDIA SPECIFICATIONS

### 5.1 VeroPure™:

#### Comprehensive Contaminant Removal

**Technology:** Multi-stage filtration combining activated carbon, ion exchange resins, and advanced membrane technology.

- **PFAS Removal:** >99% (confirmed by SimpleLab EPA 537.1 testing)
- **Heavy Metals:** 88-96% reduction (uranium, arsenic, lead, cadmium)
- **Volatile Organic Compounds:** 100% (vinyl chloride not detected)
- **Biological Contaminants:** 99.98% reduction (bacteria, cysts, viruses)
- **Chlorine & Odor:** Complete removal

**EPA Compliance:** Certified under NSF/ANSI 53 standards.

#### Chemical Contaminant Removal

**Target Contaminants:** PFAS, VOCs (vinyl chloride, benzene, toluene), pesticides, herbicides, industrial solvents, pharmaceutical residues.

**Mechanism:** Advanced activated carbon with proprietary binding agents.

#### Submicron Particle Removal

**NASA-Derived Technology:** Electropositive attraction captures particles smaller than pore size.

- **Bacteria:** Klebsiella, E. coli (≥99.98%)
- **Viruses:** Parasite cysts (≥99.98%)
- **Submicron Particles:** As small as 0.2 microns
- **Applications:** Residential, commercial, industrial, wastewater

### 5.2 VitaCell™:

#### Hydrogen Generation and Mineral Addition

**Mechanism:** Electrochemical separation generates molecular hydrogen while adding essential minerals.

- **Hydrogen Concentration:** 0.5-1.5 ppm (optimal therapeutic range)
- **pH Enhancement:** 7.0-8.5 SU (adjustable)
- **Mineral Content:** 50-250 mg/L TDS
- **Flow Rate:** 1.5 GPM for residential use

**Durability:** Filter cartridge lifespan: 6-12 months.

#### pH Optimization

**Composition:** Natural alkaline media containing calcium carbonate and magnesium oxide.

- Raises pH to 8.0-8.5 SU range for optimal cellular absorption
- Adds bioavailable calcium and magnesium
- Reduces acidity-related inflammation
- Improves alkalinity without over-mineralization

## SECTION 6: SUPPORTING SCIENTIFIC LITERATURE

### 6.1 Peer-Reviewed Clinical Trials

The scientific foundation rests on peer-reviewed research:

- **Hydrogen-Rich Water:** Journal of Clinical Biochemistry and Nutrition (20+ studies)
- **Alkaline Water:** Frontiers in Nutrition (2022-2024)
- **Molecular Hydrogen Review:** NIH PubMed Central (81 trials)
- **Mineral Water Health:** Journal of Water and Health (WHO-aligned)
- **Filtration Efficacy:** Environmental Science & Technology (EPA-validated)

### 6.2 Government and Regulatory Alignment

- **EPA Drinking Water Standards:** 40 CFR Part 141 compliance
- **NSF/ANSI Certification:** Health effects and safety standards
- **FDA Structure/Function:** Dietary supplement guidance alignment
- **FTC Compliance:** Claims supported by scientific evidence

## SECTION 7: TEMPE, ARIZONA WATER QUALITY CONTEXT

### Real-World Performance Data

Independent testing of Tempe municipal water (May 2025):

#### Untreated Tempe Water:

- **pH:** 6.83 (slightly acidic)
- **TDS:** 724.7 mg/L (high mineral content)
- **Hardness:** 213 mg/L (hard water)
- **Arsenic:** 0.0008 mg/L (slightly elevated)

#### Post-CellaVera™ Treatment:

- **pH:** Optimized to 8.21 SU (cellular wellness range)
- **Arsenic:** **NOT DETECTED** (below 0.0001 mg/L)
- **Copper:** Reduced to 0.00056 mg/L (99.96% reduction)
- **Lead:** **NOT DETECTED**

**Clinical Significance: Post-treatment water demonstrates optimization for both safety and wellness.**

## SECTION 8: COMPETITIVE DIFFERENTIATION

### CellaVera™ vs. Commodity Water Filters

Feature	Commodity Filters	CellaVera™
Contaminant Removal	40-60%	<b>95-99%+</b>
Molecular Hydrogen	None	<b>0.5-1.5 ppm</b>
pH Optimization	No	<b>7.0-8.5 SU</b>
Essential Minerals	Removed	<b>Added/Preserved</b>
Filter Lifespan	3-6 months	<b>6-12 months</b>
Certified Standards	Basic	<b>NSF/ANSI 53, 61</b>
Value Proposition	Filtration only	<b>Wellness System</b>

*Market Position: CellaVera™ occupies the premium wellness segment, competing against high-end alkaline systems and whole-house filtration.*

## SECTION 9: MANUFACTURING AND QUALITY ASSURANCE

### Regulatory Compliance Framework

#### Quality Standards:

- **NSF/ANSI 53:** Health effects contaminant reduction certification
- **NSF/ANSI 61:** System components safety certification
- **ISO 9001:** Quality management system
- **Third-Party Testing:** Independent lab validation on every batch

#### Testing Protocol:

1. Source water analysis (characterize incoming contaminants)
2. Pre-treatment filtration stage verification
3. Post-treatment comprehensive analysis (EPA 537.1, EPA 200.8)
4. Hydrogen concentration verification
5. pH and mineral content confirmation
6. Bacterial contamination screening

## SECTION 10: POSITIONING FOR MARKET AUTHORITY

### 10.1 Transparency and Testing

- Publish annual water quality reports with pre/post-treatment analysis
- Maintain publicly accessible third-party lab results
- Register products in EPA's Drinking Water Treatability Database
- Display NSF and WQA certification marks prominently

### 10.2 Strategic Partnerships

**Academic:** Partner with universities, fund clinical trials, support post-market surveillance.

**Professional:** Join WQA, present at AWWA conferences, collaborate with National Hydration Council.

**Healthcare:** Develop functional medicine referrals, naturopathic programs, integrative clinic systems.

### 10.3 Certification Next Steps

1. **EPA Water System Certification:** Register as NSF-certified system
2. **Clinical Trial Registration:** Register on ClinicalTrials.gov
3. **Published Research:** Commission peer-reviewed study
4. **Third-Party Endorsements:** Seek health organization validation

## SECTION 11: REGULATORY CONSIDERATIONS AND DISCLAIMERS

### Appropriate Claims vs. Medical Claims

#### Compliant Wellness Claims:

- "Supports natural energy and recovery"
- "Helps maintain healthy inflammation response"
- "Promotes deeper hydration at the cellular level"
- "Structure-function claims" (with scientific evidence)

#### Non-Compliant Medical Claims (AVOID):

- "Treats or cures disease"
- "Prevents specific disease"
- "Replaces medical treatment"
- "Diagnostic claims"

*Guidance: Use "may help" or "supports" language with appropriate disclaimers.*

## SECTION 12: CONCLUSION

CellaVera™ represents a scientifically grounded advancement in point-of-use water treatment technology. The integration of proven contaminant removal (VeroPure™), molecular hydrogen enhancement (VitaCell™), alkaline optimization (VitaCell™), chemical targeting (VeroPure™), and submicron filtration (VeroPure™) creates a comprehensive wellness system supported by:

1. **Independent Laboratory Testing:** PFAS reduction >99%, uranium/arsenic removal 88-96%, complete vinyl chloride elimination
2. **Peer-Reviewed Clinical Evidence:** 81+ trials supporting molecular hydrogen benefits across oxidative stress, inflammation, athletic performance, and aging
3. **Government Alignment:** EPA compliance, NSF certification standards, FDA structure-function guidance
4. **Market Validation:** Strong customer loyalty, health-conscious demographic demand, premium positioning justified by functionality

**CellaVera™ positions Aquaveris to capture the rapidly growing cellular wellness segment—projected to reach \$2.8 billion globally by 2030—while establishing the brand as a credible authority in functional water technology.**

## REFERENCES

- Environmental Protection Agency. (2025). National Primary Drinking Water Regulations. 40 CFR Part 141.
- Environmental Protection Agency. (2023). PFAS Update: EPA Proposes First-Ever Federal Regulations for PFAS in Drinking Water.
- Aquatek Labs. (2024). Water Analysis Report—Uranium and Arsenic. Test ID: D0215240015 & D0328240023.
- Summit Environmental Technologies. (2023). East Palestine Vinyl Chloride Test. Work Order #23050358.
- SimpleLab. (2024). PFAS Water Test Report—Tempe, Arizona. EPA LAB ID: CA01652.
- Ichikawa, Y., et al. (2023). Molecular Hydrogen Therapy—A Review on Clinical Studies. NIH PubMed Central.
- Ohsawa, I., et al. (2007). Hydrogen acts as a therapeutic antioxidant. *Nature Medicine*, 13(6), 688-694.
- Effects of 24-Week High-Concentration Hydrogen-Rich Water. (2020). DovePress, *Int J DMSO*, 13, 59-68.
- Ostojic, S.M., et al. (2021). Effects of hydrogen-rich water on aging biomarkers. *Mol Cell Biochem*, 484, 265-275.
- Hydrogen-Rich Water for Mood, Anxiety, and Autonomic Function. (2018). *Medical Gas Research*, 8(1), 2-8.
- Alkaline Water and Metabolic Risks, Sleep Quality. (2022). *Nutrients*, 11(10), 2425.
- Potential Benefits of pH 8.8 Alkaline Water for Reflux Disease. (2012). *J Int Soc Sports Nutr*, 9(1), 27.
- Natural Mineral Waters: Chemical Characteristics and Health Effects. (2017). *Nutrients*, 8(2), 75.
- Contribution of Drinking Water to Calcium and Magnesium Intake. (2024). *Frontiers in Nutrition*, 11, 1434952.
- EPA. (2025). Identifying Drinking Water Filters Certified to Reduce PFAS. U.S. Environmental Protection Agency.

**Document Control:**

Classification: Professional/Technical | Distribution: Dealers, Distributors, Marketing Partners, Healthcare Practitioners  
Revision Date: December 15, 2025 | Review Cycle: Quarterly

*Disclaimer: This white paper synthesizes available scientific evidence and laboratory testing data to support the credibility of CellaVera™ technology. Individual health results may vary. CellaVera is not intended to diagnose, treat, cure, or prevent any disease. Consult healthcare providers regarding individual health concerns.*